

Publications

**33rd European Photovoltaic Solar Energy Conference and Exhibition,
September 25-29, 2017 • Amsterdam, The Netherlands**

Fraunhofer Institute for Solar Energy Systems ISE

Division Photovoltaics

Heidenhofstrasse 2
79110 Freiburg
Germany

Alapont Sabater_2AO.5.4

A. Alapont Sabater, J. Greulich, N. Tucher, B. Bläsi, S.W. Glunz
Angle-Dependent Reflectance of Isotextured Silicon

Baliozian_2AO.6.1

P. Baliozian, J. Trube, M. Fischer, S. Al-Hajjawi, R. Yadav, S. Nold, R. Preu
Accuracy and Significance of the Projections in the International Technology

Beinert_1CO.1.2

A.J. Beinert, R. Leidl, P. Sommeling, U. Eitner, J. Aktaa
FEM-Based Development of Novel Back-Contact PV Modules with Ultra-Thin Solar Cells

Benick_2DO.3.1

J. Benick, R. Müller, F. Schindler, A. Richter, H. Hauser, F. Feldmann, P. Krenckel, S. Riepe, M.C. Schubert, M. Hermle, S.W. Glunz
Approaching 22% Efficiency with Multicrystalline n-Type Silicon Solar Cells

Benick_1AP.1.3

J. Benick, R. Cariou, P. Beutel, D. Lackner, N. Tucher, M. Hermle, S.W. Glunz, A.W. Bett, F. Dimroth
Monolithic III-V/Si Multi-junction Solar Cell Exceeding an Efficiency of 31%

Bivour_2BO.4.2

M. Bivour, C. Messmer, L. Neusel, F. Zähringer, J. Schön, S.W. Glunz, M. Hermle
Principles of Carrier-Selective Contacts Based on Induced Junctions

Bläsi_6BV.3.70

B. Bläsi, T. Kroyer, O. Höhn, M. Wiese, C. Ferrara, U. Eitner, T.E. Kuhn
Morpho Butterfly Inspired Coloured BIPV Modules

Brand_2CO.9.5

A.A. Brand, K. Krauss, P. Wild, S. Schörner, S. Gutscher, S. Roder, S. Rein, J. Nekarda
Ultrafast In-Line Capable Regeneration Process for Preventing Light Induced Degradation of Boron-Doped p-Type Cz-Silicon PERC Solar Cells

Clement_2CO.9.3

F. Clement, A. Lorenz, A. Pospischil, D. Biro, H. Brocker, D. Bangel, R. Greutmann, M. Lehner, T. Ott, F. Hage, K. Oppelt, T. Honold, L. Wende, A. Senne, J. Rohde, R. Preu
High Throughput Printing for Highly Efficient Cost-Effective Si Solar Cells

De Rose_2AV.3.1

A. De Rose, D. Erath, T. Geipel, A. Kraft, U. Eitner
Low-Temperature Soldering for the Interconnection of Silicon Heterojunction Solar Cells

Dürr_5DV.3.14

D. Philipp, L. Pitta Bauermann, I. Dürr, B. Broeders, S. Hellstrom, F. Costa
Benchmarking of Polyolefin Encapsulation Material Under Extreme Weathering Conditions

Eitner_6DO.12.4

U. Eitner, M. Ebert, T. Zech, N. Mahmoud, C. Schmidt, A. Watts
Solar Potential on Commercial Trucks: Results of an Irradiance Measurement Campaign on 6 Trucks in Europe and USA

Feldmann_2DO.3.3

F. Feldmann, B. Steinhauser, V. Arya, A. Büchler, A.A. Brand, S. Kluska, M. Hermle, S.W. Glunz
Evaluation of TOPCon Technology on Large Area Solar Cells

Fell_2CV.2.36

A. Fell, H. Sträter, M. Müller, H. Steinkemper, J. Schön, M. Hermle, M.C. Schubert, S.W. Glunz
Modeling of Edge Recombination Losses in Half-Cells

Fell_3DV.2.80

A. Fell, D. Walter, S.W. Glunz

A Fast and Easy Perovskite Solar Cell Simulation Tool Featuring Ion Migration

Gensowski_2AV.2.26

K. Gensowski, M. Kamp, R. Efinger, M. Klawitter, M. Pospischil, J. Eckert, J. Bartsch

Paste Development for Electrochemical Screen Printing to Structure Metal Layers of Back Contact Solar Cells

Greulich_2CV.2.65

J. Greulich, E. Lohmüller, P. Saint-Cast, S. Werner, S. Wasmer, A.J.C. van der Horst, R. Preu

Increasing the Efficiency of Multicrystalline Silicon PERC Solar Cells from Currently 19% to 20%

Grübel_2CV.2.82

B. Grübel, A. Büchler, S. Kluska, J. Bartsch, G. Cimiotti, A.B. Brand, M. Glatthaar

Easy Plating - Study on Contact Interface Properties of Parasitic Plating-Free Ni/Cu Solar Cells

Haidar_7DO.9.4

M. Haidar, P. Baliozian, A. Mustafa, S. Mourad, R. Preu

Technical and Economic Potential of PV in Lebanon and Jordan Aiming for Regional Readiness Level Development

Haunschild_2CV.2.41

J. Haunschild, J. Greulich, H. Höffler, S. Wasmer, G. Emanuel, A. Krieg, L. Friedrich, S. Rein

Review of Tools and Approaches for Inline Quality Control in High Efficiency Silicon Solar Cell Production

Hoffmann_1CV.3.91

S. Hoffmann, T. Geipel, M. Meinert, A. Kraft

Analysis of Peel and Shear Forces after Temperature Cycle Tests for Electrical Conductive Adhesives

Huyeng_2CV.2.70

J.D. Huyeng, A. Spribille, S. Nold, R. Efinger, R. Keding, O. Doll, F. Clement

A Cost-Driven Research Strategy towards Industrially Feasible High-Efficiency Back-Contact Back-Junction Silicon Solar Cells

Janz_2BO.3.6

S. Janz, D. Amiri, E. Gust, S. Kühnhold-Pospischil, S. Riepe, F. Heinz, M. Drießen

Origin and Impact of Crystallographic Defects in Epitaxially Grown Si Wafers

Kaden_2AV.1.31

T. Kaden, E. Ershova, L. Lottspeich, M. Fuchs

The Influence of Material Properties on the Wire Sawing Process of Multicrystalline Silicon

Kimovec_1AO.1.3

R. Kimovec, H. Helmers, A.W. Bett, M. Topič

Multi-Segment Photovoltaic Laser Power Converters and their Electrical Losses

Kökbudak_2AO.4.3

G. Kökbudak, R. Müller, F. Feldmann, A. Fell, R. Turan, S.W. Glunz

On the Determination of the Contact Resistivity for Passivating Contacts Using 3D Simulations

Kühnhold-Pospischil_2CO.10.4

S. Kühnhold-Pospischil, E. Gust, D. Amiri, A. Richter, B. Steinhauser, M. Drießen, B. Michl, J. Greulich, J. Benick, S. Lindekugel, S. Janz

Rapid Vapor-Phase Direct Diffused Emitter for Solar Cell Applications

Lohmüller_2CO.11.3

E. Lohmüller, S. Werner, M.H. Norouzi, S. Mack, M. Demant, S. Gutscher, P. Saint-Cast, S. Wasmer, N. Wöhrle, B. Bitnar, S. Steckemetz, P. Palinginis, H. Neuhaus, M. König, A. Wolf
Bifacial p-Type Silicon PERL Solar Cells with Screen-Printed Pure Silver Metallization and 89% Bifaciality

Lottspeich_2AV.1.29

L. Lottspeich, L. Theophil, M. Fuchs, T. Kaden
A Novel Approach to Determine the Diamond Occupancy of Diamond Wires for Optimized Cutting Process for Crystalline Silicon

Mack_2DO.3.5

S. Mack, T. Fellmeth, J. Schube, F. Feldmann, M. Lenes, J.M. Luchies
Screen-Printed Metallization for p-Type Poly-Si Passivated Contacts Formed by LPCVD

Michl_2BO.2.4

M.C. Schubert, F. Schindler, B. Michl
How to Assess the Electrical Quality of Silicon Material

Mittag_6BV.3.63

M. Mittag, C. Kutter, M. Ebert, H. Rose Wilson, U. Eitner
Power Loss Through Decorative Elements in the Front Glazing of BIPV Modules

Mittag_1CO.1.4

M. Mittag, U. Eitner, T. Neff
TPedge: Progress on Cost-Efficient and Durable Edge-Sealed PV Modules

Mittag_1AO.2.3

M. Mittag, A. Grünzweig, M. Wiese, N. Mahmoud, A. Schmid, M. Heinrich
Analysis of Backsheet and Rear Cover Reflection Gains for Bifacial Solar Cells

Mittag_5DO.5.5

M. Mittag, C. Kutter, S. Hoffmann, P. Romer, A.J. Beinert, T. Zech
Electrical and Thermal Modeling of Junction Boxes

Nagel_2AO.6.5

H. Nagel, D. Eberlein, S. Hoffmann, M. Graf, B. Steinhauser, F. Feldmann, A. Kraft, U. Eitner, M. Glatthaar, M. Hermle, S.W. Glunz, H. Haverkamp, T. Fischer, A. Hain, P. Wohlfart, V. Mertens, J.M. Müller, T. Buck
Ultrasonically Tinned PVD AL Rear Contacts on High-Efficiency Crystalline Silicon Solar Cells for Module Integration

Reichel_2DO.2.5

C. Reichel, R. Müller, F. Feldmann, A. Richter, M. Hermle, S.W. Glunz
Interdigitated Back Contact Silicon Solar Cells Featuring Ion-Implanted Poly-Si/SiO_x Passivating Contacts

Rentsch_2DO.1.3

J. Rentsch, M. Bivour, D. Erath, F. Feldmann, A. Fischer, S. Mack, A. Moldovan, J. Temmler, M. Hermle, S.W. Glunz, R. Preu
A New Pilot Research Facility for HJT and Selective Contact Solar Cells - PV-TEC SELECT

Richter_2DO.2.1

A. Richter, J. Benick, R. Müller, F. Feldmann, C. Reichel, M. Hermle, S.W. Glunz
Tunnel Oxide Passivating Electron Contacts as Full-Area Rear Emitter of High-Efficiency p-Type Silicon Solar Cells

Rodofili_2CO.10.6

A. Rodofili, W. Wolke, L. Kroely, M. Bivour, G. Cimiotti, J. Bartsch, M. Glatthaar, J. Nekarda
Laser-Transferred Ni-Seed for the Metallization of Silicon Heterojunction Solar Cells by Cu-Plating

Saint-Cast_2CV.2.63

P. Saint-Cast, N. Wöhrle, J.M. Greulich

Validation of Analytic Modelling of Local Rear Contacts in PERC/PERL Solar Cells

Schindler_2BP.1.4

T. Niewelt, F. Schindler, W. Kwapil, R. Eberle, J. Schön, M.C. Schubert

Understanding the Light-Induced Degradation at Elevated Temperatures: Similarities between Multicrystalline and Floatzone p-Type Silicon

Schmid_5BV.4.32

A. Schmid, G. Baarah, G. Dülger, U. Kräling

IV Measurement of Bifacial Modules: Bifacial vs. Monofacial Illumination

Temmler_2AV.3.9

J. Temmler, A. Moldovan, D. Putra, M. Bivour, J. Rentsch

Inline PECVD Deposition of a-Si Layers for Heterojunction Solar Cells on an Industrial Scale

Trötschler_2BO.1.3

T. Trötschler, M. Demant, P. Krenckel, S. Riepe, S. Rein

Identification of Defect-Suppressing Grain Boundaries in Multicrystalline Silicon Based on Measurements of as-Cut Wafers Using Advanced Image Processing

Tutsch_2AV.3.8

L. Tutsch, M. Bivour, W. Wolke, M. Hermle, J. Rentsch

Influence of the Transparent Electrode Sputtering Process on the Interface Passivation Quality of Silicon Heterojunction Solar Cells

Wasmer_2CV.2.43

S. Wasmer, I. Geisemeyer, D. Pfengler, J. Greulich, S. Rein

Comparison of Inline Hot Spot Detection and Evaluation Algorithms for Crystalline Silicon Solar Cells

Werner_2CO.11.1

S. Werner, E. Lohmüller, P. Saint-Cast, J.M. Greulich, J. Weber, S. Schmidt, A. Moldovan, A.A. Brand, T. Dannenberg, S. Mack, S. Wasmer, M. Demant, M. Linse, R. Ackermann, A. Wolf, R. Preu

Key Aspects for Fabrication of p-Type Cz-Si PERC Solar Cells Exceeding 22% Conversion Efficiency

Werner_2AV.2.14

S. Werner, E. Lohmüller, J. Weber, A. Wolf

Suitability of POCl₃ Diffusion Processes with In-Situ Oxidation for Forming Laser-Doped Selective Emitters with Low Carrier Recombination

Wöhrle_2CV.2.33

N. Wöhrle, T. Fellmeth, E. Lohmüller, P. Baliozian, A. Fell, R. Preu

The SPEER Solar Cell - Simulation Study of Shingled Bifacial PERC-Technology-Based Stripe Cells